

West Orange, New Jersey  
August 1, 2023 Sampling Results



Sample Number	Depth Interval (in inches)	Location	Sample Date	Analyte	XRF Data	Laboratory	Result
GREG-ROW-E-SS001-0002-01	0-2	E-SS001	8/1/2023	Lead	466.6	520	mg/kg
GREG-ROW-E-SS001-0002-02	0-2	E-SS001	8/1/2023	Lead		550	mg/kg
GREG-ROW-E-SS001-0206-01	2-6	E-SS001	8/1/2023	Lead	709.79	760	mg/kg
GREG-ROW-E-SS001-0612-01	6-12	E-SS001	8/1/2023	Lead	1166.01	1000	mg/kg
GREG-ROW-E-SS002-0002-01	0-2	E-SS002	8/1/2023	Lead	221.43	220	mg/kg
GREG-ROW-E-SS002-0206-01	2-6	E-SS002	8/1/2023	Lead	265.76	370	mg/kg
GREG-ROW-E-SS002-0612-01	6-12	E-SS002	8/1/2023	Lead	245.15	190	mg/kg
GREG-ROW-E-SS003-0002-01	0-2	E-SS003	8/1/2023	Lead	142.55	160	mg/kg
GREG-ROW-E-SS003-0206-01	2-6	E-SS003	8/1/2023	Lead	281.18	320	mg/kg
GREG-ROW-E-SS003-0612-01	6-12	E-SS003	8/1/2023	Lead	273.69	280	mg/kg
GREG-ROW-E-SS004-0002-01	0-2	E-SS004	8/1/2023	Lead	175.56	240	mg/kg
GREG-ROW-E-SS004-0206-01	2-6	E-SS004	8/1/2023	Lead	268.03	280	mg/kg
GREG-ROW-E-SS004-0612-01	6-12	E-SS004	8/1/2023	Lead	264.04	260	mg/kg
GREG-ROW-E-SS005-0002-01	0-2	E-SS005	8/1/2023	Lead	202.15	270	mg/kg
GREG-ROW-E-SS005-0206-01	2-6	E-SS005	8/1/2023	Lead	225.66	320	mg/kg
GREG-ROW-E-SS005-0612-01	6-12	E-SS005	8/1/2023	Lead	622.26	540	mg/kg
GREG-ROW-E-SS006-0002-01	0-2	E-SS006	8/1/2023	Lead	223.99	280	mg/kg
GREG-ROW-E-SS006-0206-01	2-6	E-SS006	8/1/2023	Lead	131.79	140	mg/kg
GREG-ROW-E-SS006-0612-01	6-12	E-SS006	8/1/2023	Lead	27.02	15	mg/kg
GREG-ROW-E-SS007-0002-01	0-2	E-SS007	8/1/2023	Lead	285.56	310	mg/kg
GREG-ROW-E-SS007-0206-01	2-6	E-SS007	8/1/2023	Lead	181.41	270	mg/kg
GREG-ROW-E-SS007-0612-01	6-12	E-SS007	8/1/2023	Lead	207.03	190	mg/kg
GREG-ROW-E-SS007-0612-02	6-12	E-SS007	8/1/2023	Lead		230	mg/kg
GREG-ROW-E-SS008-0002-01	0-2	E-SS008	8/1/2023	Lead	229.34	240	mg/kg
GREG-ROW-E-SS008-0206-01	2-6	E-SS008	8/1/2023	Lead	906.21	260	mg/kg
GREG-ROW-E-SS008-0612-01	6-12	E-SS008	8/1/2023	Lead	260.4	390	mg/kg
GREG-ROW-E-SS009-0002-01	0-2	E-SS009	8/1/2023	Lead	364.14	430	mg/kg
GREG-ROW-E-SS009-0206-01	2-6	E-SS009	8/1/2023	Lead	488.41	550	mg/kg
GREG-ROW-E-SS009-0612-01	6-12	E-SS009	8/1/2023	Lead	540.18	530	mg/kg
GREG-ROW-E-SS010-0002-01	0-2	E-SS010	8/1/2023	Lead	327.99	220	mg/kg
GREG-ROW-E-SS010-0206-01	2-6	E-SS010	8/1/2023	Lead	204.86	250	mg/kg
GREG-ROW-E-SS010-0612-01	6-12	E-SS010	8/1/2023	Lead	244.33	340	mg/kg
GREG-ROW-E-SS011-0002-01	0-2	E-SS011	8/1/2023	Lead	144.84	180	mg/kg
GREG-ROW-E-SS011-0206-01	2-6	E-SS011	8/1/2023	Lead	356.77	480	mg/kg
GREG-ROW-E-SS011-0612-01	6-12	E-SS011	8/1/2023	Lead	624.47	710	mg/kg
GREG-ROW-E-SS012-0002-01	0-2	E-SS012	8/1/2023	Lead	316.89	410	mg/kg
GREG-ROW-E-SS012-0206-01	2-6	E-SS012	8/1/2023	Lead	465.09	590	mg/kg
GREG-ROW-E-SS012-0612-01	6-12	E-SS012	8/1/2023	Lead	1048.81	1300	mg/kg
GREG-ROW-E-SS013-0002-01	0-2	E-SS013	8/1/2023	Lead	199.84	220	mg/kg
GREG-ROW-E-SS013-0206-01	2-6	E-SS013	8/1/2023	Lead	232.47	260	mg/kg
GREG-ROW-E-SS013-0612-01	6-12	E-SS013	8/1/2023	Lead	265.23	320	mg/kg
GREG-ROW-E-SS014-0002-01	0-2	E-SS014	8/1/2023	Lead	286.72	280	mg/kg
GREG-ROW-E-SS014-0206-01	2-6	E-SS014	8/1/2023	Lead	230.35	210	mg/kg

West Orange, New Jersey  
August 1, 2023 Sampling Results

Sample Number	Depth		Sample Date	Analyte	XRF Data	Laboratory	Result
	Interval (in inches)	Location					
GREG-ROW-E-SS014-0206-02	2-6	E-SS014	8/1/2023	Lead		250	mg/kg
GREG-ROW-E-SS014-0612-01	6-12	E-SS014	8/1/2023	Lead	265.3	250	mg/kg
GREG-ROW-E-SS015-0002-01	0-2	E-SS015	8/1/2023	Lead	210.34	240	mg/kg
GREG-ROW-E-SS015-0206-01	2-6	E-SS015	8/1/2023	Lead	311.41	270	mg/kg
GREG-ROW-E-SS015-0612-01	6-12	E-SS015	8/1/2023	Lead	324.71	310	mg/kg
GREG-ROW-E-SS016-0002-01	0-2	E-SS016	8/1/2023	Lead	610.5	630	mg/kg
GREG-ROW-E-SS016-0206-01	2-6	E-SS016	8/1/2023	Lead	432.32	340	mg/kg
GREG-ROW-E-SS016-0612-01	6-12	E-SS016	8/1/2023	Lead	357.13	390	mg/kg
GREG-ROW-E-SS017-0002-01	0-2	E-SS017	8/1/2023	Lead	622.23	830	mg/kg
GREG-ROW-E-SS017-0206-01	2-6	E-SS017	8/1/2023	Lead	424.37	570	mg/kg
GREG-ROW-E-SS017-0612-01	6-12	E-SS017	8/1/2023	Lead	424.47	390	mg/kg
GREG-ROW-E-SS018-0002-01	0-2	E-SS018	8/1/2023	Lead	675.69	680	mg/kg
GREG-ROW-E-SS018-0206-01	2-6	E-SS018	8/1/2023	Lead	319.81	440	mg/kg
GREG-ROW-E-SS018-0612-01	6-12	E-SS018	8/1/2023	Lead	241.36	260	mg/kg
GREG-ROW-E-SS019-0002-01	0-2	E-SS019	8/1/2023	Lead	251.84	240	mg/kg
GREG-ROW-E-SS019-0206-01	2-6	E-SS019	8/1/2023	Lead	419.45	450	mg/kg
GREG-ROW-E-SS019-0612-01	6-12	E-SS019	8/1/2023	Lead	420.5	460	mg/kg
GREG-ROW-E-SS020-0002-01	0-2	E-SS020	8/1/2023	Lead	1087.56	1300	mg/kg
GREG-ROW-E-SS020-0206-01	2-6	E-SS020	8/1/2023	Lead	1563.87	1700	mg/kg
GREG-ROW-E-SS020-0612-01	6-12	E-SS020	8/1/2023	Lead	797.58	1300	mg/kg
GREG-ROW-E-SS021-0002-01	0-2	E-SS021	8/1/2023	Lead	160.5	220	mg/kg
GREG-ROW-E-SS021-0002-02	0-2	E-SS021	8/1/2023	Lead		200	mg/kg
GREG-ROW-E-SS021-0206-01	2-6	E-SS021	8/1/2023	Lead	126.51	130	mg/kg
GREG-ROW-E-SS021-0612-01	6-12	E-SS021	8/1/2023	Lead	106.05	130	mg/kg
GREG-ROW-E-SS022-0002-01	0-2	E-SS022	8/1/2023	Lead	503.27	500	mg/kg
GREG-ROW-E-SS022-0206-01	2-6	E-SS022	8/1/2023	Lead	280.66	330	mg/kg
GREG-ROW-E-SS022-0612-01	6-12	E-SS022	8/1/2023	Lead	284.48	320	mg/kg
GREG-ROW-E-SS023-0002-01	0-2	E-SS023	8/1/2023	Lead	130.67	170	mg/kg
GREG-ROW-E-SS023-0206-01	2-6	E-SS023	8/1/2023	Lead	200.3	200	mg/kg
GREG-ROW-E-SS023-0612-01	6-12	E-SS023	8/1/2023	Lead	247.51	280	mg/kg
GREG-ROW-E-SS024-0002-01	0-2	E-SS024	8/1/2023	Lead	318.1	310	mg/kg
GREG-ROW-E-SS024-0206-01	2-6	E-SS024	8/1/2023	Lead	220.09	270	mg/kg
GREG-ROW-E-SS024-0612-01	6-12	E-SS024	8/1/2023	Lead	234.99	220	mg/kg
GREG-ROW-E-SS025-0002-01	0-2	E-SS025	8/1/2023	Lead	109.67	130	mg/kg
GREG-ROW-E-SS025-0206-01	2-6	E-SS025	8/1/2023	Lead	121.5	160	mg/kg
GREG-ROW-E-SS025-0612-01	6-12	E-SS025	8/1/2023	Lead	202.85	250	mg/kg
GREG-ROW-E-SS026-0002-01	0-2	E-SS026	8/1/2023	Lead	209.39	210	mg/kg
GREG-ROW-E-SS026-0206-01	2-6	E-SS026	8/1/2023	Lead	338.47	420	mg/kg
GREG-ROW-E-SS026-0612-01	6-12	E-SS026	8/1/2023	Lead	421.69	550	mg/kg
GREG-ROW-E-SS027-0002-01	0-2	E-SS027	8/1/2023	Lead	221.06	270	mg/kg
GREG-ROW-E-SS027-0206-01	2-6	E-SS027	8/1/2023	Lead	177.01	250	mg/kg
GREG-ROW-E-SS027-0612-01	6-12	E-SS027	8/1/2023	Lead	142.82	150	mg/kg
GREG-ROW-E-SS027-0612-02	6-12	E-SS027	8/1/2023	Lead		130	mg/kg

West Orange, New Jersey August 1,  
2023 Sampling Results

Sample Number	Depth	Location	Sample Date	Analyte	XRF Data	Laboratory	Result
	Interval (in inches)						
GREG-ROW-E-SS028-0002-01	0-2	E-SS028	8/1/2023	Lead	240.56	270	mg/kg
GREG-ROW-E-SS028-0206-01	2-6	E-SS028	8/1/2023	Lead	577.88	690	mg/kg
GREG-ROW-E-SS028-0612-01	6-12	E-SS028	8/1/2023	Lead	782.11	650	mg/kg
GREG-ROW-E-SS029-0002-01	0-2	E-SS029	8/1/2023	Lead	396.3	310	mg/kg
GREG-ROW-E-SS029-0206-01	2-6	E-SS029	8/1/2023	Lead	274.81	360	mg/kg
GREG-ROW-E-SS029-0612-01	6-12	E-SS029	8/1/2023	Lead	403.95	430	mg/kg
GREG-ROW-E-SS030-0002-01	0-2	E-SS030	8/1/2023	Lead	265.01	790	mg/kg
GREG-ROW-E-SS030-0206-01	2-6	E-SS030	8/1/2023	Lead	351.24	380	mg/kg
GREG-ROW-E-SS030-0612-01	6-12	E-SS030	8/1/2023	Lead	375.32	450	mg/kg
GREG-ROW-E-SS031-0002-01	0-2	E-SS031	8/1/2023	Lead	341.59	420	mg/kg
GREG-ROW-E-SS031-0206-01	2-6	E-SS031	8/1/2023	Lead	416.39	550	mg/kg
GREG-ROW-E-SS031-0612-01	6-12	E-SS031	8/1/2023	Lead	399.45	450	mg/kg
GREG-ROW-E-SS032-0002-01	0-2	E-SS032	8/1/2023	Lead	260.54	300	mg/kg
GREG-ROW-E-SS032-0206-01	2-6	E-SS032	8/1/2023	Lead	507.49	700	mg/kg
GREG-ROW-E-SS032-0612-01	6-12	E-SS032	8/1/2023	Lead	457.75	660	mg/kg
GREG-ROW-E-SS033-0002-01	0-2	E-SS033	8/1/2023	Lead	126.42	120	mg/kg
GREG-ROW-E-SS033-0206-01	2-6	E-SS033	8/1/2023	Lead	121.79	180	mg/kg
GREG-ROW-E-SS033-0612-01	6-12	E-SS033	8/1/2023	Lead	314.04	380	mg/kg
GREG-ROW-E-SS034-0002-01	0-2	E-SS034	8/1/2023	Lead	380.03	480	mg/kg
GREG-ROW-E-SS034-0206-01	2-6	E-SS034	8/1/2023	Lead	2357.98	3300	mg/kg
GREG-ROW-E-SS034-0206-02	2-6	E-SS034	8/1/2023	Lead		3400	mg/kg
GREG-ROW-E-SS034-0612-01	6-12	E-SS034	8/1/2023	Lead	736.65	830	mg/kg
GREG-ROW-E-SS035-0002-01	0-2	E-SS035	8/1/2023	Lead	560.78	780	mg/kg
GREG-ROW-E-SS035-0206-01	2-6	E-SS035	8/1/2023	Lead	596.51	710	mg/kg
GREG-ROW-E-SS035-0612-01	6-12	E-SS035	8/1/2023	Lead	332.42	420	mg/kg
GREG-ROW-E-SS036-0002-01	0-2	E-SS036	8/1/2023	Lead	670.25	920	mg/kg
GREG-ROW-E-SS036-0206-01	2-6	E-SS036	8/1/2023	Lead	501.08	660	mg/kg
GREG-ROW-E-SS036-0612-01	6-12	E-SS036	8/1/2023	Lead	461.78	570	mg/kg
GREG-ROW-E-SS037-0002-01	0-2	E-SS037	8/1/2023	Lead	616.63	690	mg/kg
GREG-ROW-E-SS037-0206-01	2-6	E-SS037	8/1/2023	Lead	474.19	610	mg/kg
GREG-ROW-E-SS037-0612-01	6-12	E-SS037	8/1/2023	Lead	415.3	480	mg/kg
GREG-ROW-E-SS038-0002-01	0-2	E-SS038	8/1/2023	Lead	569.34	520	mg/kg
GREG-ROW-E-SS038-0206-01	2-6	E-SS038	8/1/2023	Lead	731.22	780	mg/kg
GREG-ROW-E-SS038-0612-01	6-12	E-SS038	8/1/2023	Lead	599.91	760	mg/kg
GREG-ROW-E-SS039-0002-01	0-2	E-SS039	8/1/2023	Lead	358.96	340	mg/kg
GREG-ROW-E-SS039-0206-01	2-6	E-SS039	8/1/2023	Lead	414.18	620	mg/kg
GREG-ROW-E-SS039-0612-01	6-12	E-SS039	8/1/2023	Lead	570.5	800	mg/kg
GREG-ROW-E-SS040-0002-01	0-2	E-SS040	8/1/2023	Lead	639.08	710	mg/kg
GREG-ROW-E-SS040-0206-01	2-6	E-SS040	8/1/2023	Lead	517.42	880	mg/kg
GREG-ROW-E-SS040-0612-01	6-12	E-SS040	8/1/2023	Lead	441.25	600	mg/kg
GREG-ROW-E-SS041-0002-01	0-2	E-SS041	8/1/2023	Lead	316.8	330	mg/kg
GREG-ROW-E-SS041-0002-02	0-2	E-SS041	8/1/2023	Lead		330	mg/kg
GREG-ROW-E-SS041-0206-01	2-6	E-SS041	8/1/2023	Lead	396.99	540	mg/kg

West Orange, New Jersey  
August 1, 2023 Sampling Results

Sample Number	Depth	Location	Sample Date	Analyte	XRF Data	Laboratory	Result
	Interval (in inches)						
GREG-ROW-E-SS041-0612-01	6-12	E-SS041	8/1/2023	Lead	454.3	440	mg/kg
GREG-ROW-E-SS042-0002-01	0-2	E-SS042	8/1/2023	Lead	144.78	140	mg/kg
GREG-ROW-E-SS042-0206-01	2-6	E-SS042	8/1/2023	Lead	400.04	430	mg/kg
GREG-ROW-E-SS042-0612-01	6-12	E-SS042	8/1/2023	Lead	350.95	390	mg/kg
GREG-ROW-E-SS043-0002-01	0-2	E-SS043	8/1/2023	Lead	97.17	98	mg/kg
GREG-ROW-E-SS043-0206-01	2-6	E-SS043	8/1/2023	Lead	386.6	320	mg/kg
GREG-ROW-E-SS044-0002-01	0-2	E-SS044	8/1/2023	Lead	290.85	560	mg/kg
GREG-ROW-E-SS044-0206-01	2-6	E-SS044	8/1/2023	Lead	607.46	830	mg/kg
GREG-ROW-E-SS044-0612-01	6-12	E-SS044	8/1/2023	Lead	641.5	880	mg/kg
GREG-ROW-E-SS045-0002-01	0-2	E-SS045	8/1/2023	Lead	102.69	190	mg/kg
GREG-ROW-E-SS045-0206-01	2-6	E-SS045	8/1/2023	Lead	104.75	140	mg/kg
GREG-ROW-E-SS045-0612-01	6-12	E-SS045	8/1/2023	Lead	125.05	160	mg/kg
GREG-ROW-E-SS046-0002-01	0-2	E-SS046	8/1/2023	Lead	199.04	270	mg/kg
GREG-ROW-E-SS046-0206-01	2-6	E-SS046	8/1/2023	Lead	217.04	300	mg/kg
GREG-ROW-E-SS046-0612-01	6-12	E-SS046	8/1/2023	Lead	161.25	160	mg/kg
GREG-ROW-E-SS047-0002-01	0-2	E-SS047	8/1/2023	Lead	311.33	330	mg/kg
GREG-ROW-E-SS047-0206-01	2-6	E-SS047	8/1/2023	Lead	263.01	350	mg/kg
GREG-ROW-E-SS047-0612-01	6-12	E-SS047	8/1/2023	Lead	330.86	430	mg/kg
GREG-ROW-E-SS047-0612-02	6-12	E-SS047	8/1/2023	Lead		340	mg/kg
GREG-ROW-E-SS048-0002-01	0-2	E-SS048	8/1/2023	Lead	44.44	540	mg/kg
GREG-ROW-E-SS048-0206-01	2-6	E-SS048	8/1/2023	Lead	146.28	290	mg/kg
GREG-ROW-E-SS048-0612-01	6-12	E-SS048	8/1/2023	Lead	163.28	160	mg/kg
GREG-ROW-E-SS049-0002-01	0-2	E-SS049	8/1/2023	Lead	83.71	74	mg/kg
GREG-ROW-E-SS049-0206-01	2-6	E-SS049	8/1/2023	Lead	175.49	190	mg/kg
GREG-ROW-E-SS049-0612-01	6-12	E-SS049	8/1/2023	Lead	244.23	220	mg/kg
GREG-ROW-E-SS049-A-0002-01	0-2	E-SS049	8/1/2023	Lead	91.74	98	mg/kg
GREG-ROW-E-SS050-0002-01	0-2	E-SS050	8/1/2023	Lead	55.23	61	mg/kg
GREG-ROW-E-SS050-0206-01	2-6	E-SS050	8/1/2023	Lead	192.42	220	mg/kg
GREG-ROW-E-SS050-0612-01	6-12	E-SS050	8/1/2023	Lead	170.2	220	mg/kg
GREG-ROW-E-SS051-0002-01	0-2	E-SS051	8/1/2023	Lead	356.13	590	mg/kg
GREG-ROW-E-SS051-0206-01	2-6	E-SS051	8/1/2023	Lead	318.38	290	mg/kg
GREG-ROW-E-SS051-0612-01	6-12	E-SS051	8/1/2023	Lead	216.98	290	mg/kg
GREG-ROW-E-SS052-0002-01	0-2	E-SS052	8/1/2023	Lead	427.45	540	mg/kg
GREG-ROW-E-SS052-0206-01	2-6	E-SS052	8/1/2023	Lead	703.42	620	mg/kg
GREG-ROW-E-SS052-0612-01	6-12	E-SS052	8/1/2023	Lead	239.34	130	mg/kg
GREG-ROW-E-SS053-0002-01	0-2	E-SS053	8/1/2023	Lead	127.09	120	mg/kg
GREG-ROW-E-SS053-0206-01	2-6	E-SS053	8/1/2023	Lead	88.58	94	mg/kg
GREG-ROW-E-SS053-0612-01	6-12	E-SS053	8/1/2023	Lead	83.01	100	mg/kg
GREG-ROW-E-SS054-0002-01	0-2	E-SS054	8/1/2023	Lead	38.67	45	mg/kg
GREG-ROW-E-SS054-0206-01	2-6	E-SS054	8/1/2023	Lead	61.18	86	mg/kg
GREG-ROW-E-SS054-0206-02	2-6	E-SS054	8/1/2023	Lead		74	mg/kg
GREG-ROW-E-SS054-0612-01	6-12	E-SS054	8/1/2023	Lead	103.71	94	mg/kg
GREG-ROW-E-SS055-0002-01	0-2	E-SS055	8/1/2023	Lead	257.51	360	mg/kg

West Orange, New Jersey  
August 1, 2023 Sampling Results

Sample Number	Depth	Location	Sample Date	Analyte	XRF Data	Laboratory	Result
	Interval (in inches)						
GREG-ROW-E-SS055-0206-01	2-6	E-SS055	8/1/2023	Lead	221.87	260	mg/kg
GREG-ROW-E-SS055-0612-01	6-12	E-SS055	8/1/2023	Lead	213.64	1000	mg/kg
GREG-ROW-E-SS056-0002-01	0-2	E-SS056	8/1/2023	Lead	202.57	210	mg/kg
GREG-ROW-E-SS056-0206-01	2-6	E-SS056	8/1/2023	Lead	220.52	240	mg/kg
GREG-ROW-E-SS056-0612-01	6-12	E-SS056	8/1/2023	Lead	207.45	230	mg/kg
GREG-ROW-E-SS057-0002-01	0-2	E-SS057	8/1/2023	Lead	528.04	680	mg/kg
GREG-ROW-E-SS057-0206-01	2-6	E-SS057	8/1/2023	Lead	282.54	480	mg/kg
GREG-ROW-E-SS057-0612-01	6-12	E-SS057	8/1/2023	Lead	276.29	270	mg/kg
GREG-ROW-E-SS058-0002-01	0-2	E-SS058	8/1/2023	Lead	231.43	420	mg/kg
GREG-ROW-E-SS058-0206-01	2-6	E-SS058	8/1/2023	Lead	246.9	310	mg/kg
GREG-ROW-E-SS058-0612-01	6-12	E-SS058	8/1/2023	Lead	176.11	220	mg/kg
GREG-ROW-E-SS059-0002-01	0-2	E-SS059	8/1/2023	Lead	94.46	130	mg/kg
GREG-ROW-E-SS059-0206-01	2-6	E-SS059	8/1/2023	Lead	239.67	230	mg/kg
GREG-ROW-E-SS059-0612-01	6-12	E-SS059	8/1/2023	Lead	418.83	560	mg/kg
GREG-ROW-E-SS060-0002-01	0-2	E-SS060	8/1/2023	Lead	336.12	360	mg/kg
GREG-ROW-E-SS060-0206-01	2-6	E-SS060	8/1/2023	Lead	359.03	280	mg/kg
GREG-ROW-E-SS060-0612-01	6-12	E-SS060	8/1/2023	Lead	195.82	190	mg/kg
GREG-ROW-E-SS061-0002-01	0-2	E-SS061	8/1/2023	Lead	330.04	480	mg/kg
GREG-ROW-E-SS061-0002-02	0-2	E-SS061	8/1/2023	Lead		440	mg/kg
GREG-ROW-E-SS061-0206-01	2-6	E-SS061	8/1/2023	Lead	730.4	850	mg/kg
GREG-ROW-E-SS061-0612-01	6-12	E-SS061	8/1/2023	Lead	363.93	480	mg/kg
GREG-ROW-E-SS062-0002-01	0-2	E-SS062	8/1/2023	Lead	640.45	790	mg/kg
GREG-ROW-E-SS062-0206-01	2-6	E-SS062	8/1/2023	Lead	717.41	1100	mg/kg
GREG-ROW-E-SS062-0612-01	6-12	E-SS062	8/1/2023	Lead	622.95	750	mg/kg
GREG-ROW-E-SS063-0002-01	0-2	E-SS063	8/1/2023	Lead	283.41	490	mg/kg
GREG-ROW-E-SS063-0206-01	2-6	E-SS063	8/1/2023	Lead	1199.66	970	mg/kg
GREG-ROW-E-SS063-0612-01	6-12	E-SS063	8/1/2023	Lead	1731.15	1600	mg/kg
GREG-ROW-E-SS064-0002-01	0-2	E-SS064	8/1/2023	Lead	549.9	540	mg/kg
GREG-ROW-E-SS064-0206-01	2-6	E-SS064	8/1/2023	Lead	840.7	930	mg/kg
GREG-ROW-E-SS064-0612-01	6-12	E-SS064	8/1/2023	Lead	543.37	550	mg/kg
GREG-ROW-W-SS001-0002-01	0-2	W-SS001	8/1/2023	Lead	84.91	92	mg/kg
GREG-ROW-W-SS001-0206-01	2-6	W-SS001	8/1/2023	Lead	76.57	110	mg/kg
GREG-ROW-W-SS001-0612-01	6-12	W-SS001	8/1/2023	Lead	89.99	110	mg/kg
GREG-ROW-W-SS002-0002-01	0-2	W-SS002	8/1/2023	Lead	199.36	350	mg/kg
GREG-ROW-W-SS002-0206-01	2-6	W-SS002	8/1/2023	Lead	230.36	350	mg/kg
GREG-ROW-W-SS002-0612-01	6-12	W-SS002	8/1/2023	Lead	263.22	410	mg/kg
GREG-ROW-W-SS003-0002-01	0-2	W-SS003	8/1/2023	Lead	193.47	290	mg/kg
GREG-ROW-W-SS003-0206-01	2-6	W-SS003	8/1/2023	Lead	234.13	260	mg/kg
GREG-ROW-W-SS003-0612-01	6-12	W-SS003	8/1/2023	Lead	295.2	350	mg/kg
GREG-ROW-W-SS004-0002-01	0-2	W-SS004	8/1/2023	Lead	175.14	260	mg/kg
GREG-ROW-W-SS004-0206-01	2-6	W-SS004	8/1/2023	Lead	258.63	290	mg/kg
GREG-ROW-W-SS004-0206-02	2-6	W-SS004	8/1/2023	Lead		290	mg/kg
GREG-ROW-W-SS004-0612-01	6-12	W-SS004	8/1/2023	Lead	240.68	330	mg/kg

West Orange, New Jersey August 1,  
2023 Sampling Results

Sample Number	Depth Interval (in inches)	Location	Sample Date	Analyte	XRF Data	Laboratory	Result
GREG-ROW-W-SS005-0002-01	0-2	W-SS005	8/1/2023	Lead	111.2	150	mg/kg
GREG-ROW-W-SS005-0206-01	2-6	W-SS005	8/1/2023	Lead	167.48	220	mg/kg
GREG-ROW-W-SS005-0612-01	6-12	W-SS005	8/1/2023	Lead	191.55	230	mg/kg
GREG-ROW-W-SS006-0002-01	0-2	W-SS006	8/1/2023	Lead	158.44	190	mg/kg
GREG-ROW-W-SS006-0206-01	2-6	W-SS006	8/1/2023	Lead	188.04	260	mg/kg
GREG-ROW-W-SS006-0612-01	6-12	W-SS006	8/1/2023	Lead	278.68	500	mg/kg
GREG-ROW-W-SS007-0002-01	0-2	W-SS007	8/1/2023	Lead	88.92	99	mg/kg
GREG-ROW-W-SS007-0206-01	2-6	W-SS007	8/1/2023	Lead	161.81	300	mg/kg
GREG-ROW-W-SS007-0612-01	6-12	W-SS007	8/1/2023	Lead	283.56	330	mg/kg
GREG-ROW-W-SS008-0002-01	0-2	W-SS008	8/1/2023	Lead	162.32	180	mg/kg
GREG-ROW-W-SS008-0206-01	2-6	W-SS008	8/1/2023	Lead	186.87	180	mg/kg
GREG-ROW-W-SS008-0612-01	6-12	W-SS008	8/1/2023	Lead	195.17	220	mg/kg
GREG-ROW-W-SS009-0002-01	0-2	W-SS009	8/1/2023	Lead	202.21	210	mg/kg
GREG-ROW-W-SS009-0206-01	2-6	W-SS009	8/1/2023	Lead	184.46	210	mg/kg
GREG-ROW-W-SS009-0612-01	6-12	W-SS009	8/1/2023	Lead	195.61	220	mg/kg
GREG-ROW-W-SS010-0002-01	0-2	W-SS010	8/1/2023	Lead	56.4	58	mg/kg
GREG-ROW-W-SS010-0206-01	2-6	W-SS010	8/1/2023	Lead	49.8	120	mg/kg
GREG-ROW-W-SS010-0612-01	6-12	W-SS010	8/1/2023	Lead	93.88	94	mg/kg
GREG-ROW-W-SS011-0002-01	0-2	W-SS011	8/1/2023	Lead	73.65	98	mg/kg
GREG-ROW-W-SS011-0002-02	0-2	W-SS011	8/1/2023	Lead		88	mg/kg
GREG-ROW-W-SS011-0206-01	2-6	W-SS011	8/1/2023	Lead	125.22	180	mg/kg
GREG-ROW-W-SS011-0612-01	6-12	W-SS011	8/1/2023	Lead	193.36	260	mg/kg
GREG-ROW-W-SS012-0002-01	0-2	W-SS012	8/1/2023	Lead	78.37	87	mg/kg
GREG-ROW-W-SS012-0206-01	2-6	W-SS012	8/1/2023	Lead	99.32	190	mg/kg
GREG-ROW-W-SS012-0612-01	6-12	W-SS012	8/1/2023	Lead	261.41	280	mg/kg
GREG-ROW-W-SS013-0002-01	0-2	W-SS013	8/1/2023	Lead	284.23	500	mg/kg
GREG-ROW-W-SS013-0206-01	2-6	W-SS013	8/1/2023	Lead	542.15	640	mg/kg
GREG-ROW-W-SS013-0612-01	6-12	W-SS013	8/1/2023	Lead	307.92	430	mg/kg
GREG-ROW-W-SS014-0002-01	0-2	W-SS014	8/1/2023	Lead	45.94	51	mg/kg
GREG-ROW-W-SS014-0206-01	2-6	W-SS014	8/1/2023	Lead	40.15	52	mg/kg
GREG-ROW-W-SS014-0612-01	6-12	W-SS014	8/1/2023	Lead	85.5	100	mg/kg
GREG-ROW-W-SS015-0002-01	0-2	W-SS015	8/1/2023	Lead	254.26	270	mg/kg
GREG-ROW-W-SS015-0206-01	2-6	W-SS015	8/1/2023	Lead	274.28	380	mg/kg
GREG-ROW-W-SS015-0612-01	6-12	W-SS015	8/1/2023	Lead	198.83	270	mg/kg
GREG-ROW-W-SS016-0002-01	0-2	W-SS016	8/1/2023	Lead	66.56	90	mg/kg
GREG-ROW-W-SS016-0206-01	2-6	W-SS016	8/1/2023	Lead	93.49	130	mg/kg
GREG-ROW-W-SS016-0612-01	6-12	W-SS016	8/1/2023	Lead	89.64	120	mg/kg
GREG-ROW-W-SS017-0002-01	0-2	W-SS017	8/1/2023	Lead	147.07	170	mg/kg
GREG-ROW-W-SS017-0206-01	2-6	W-SS017	8/1/2023	Lead	142.81	150	mg/kg
GREG-ROW-W-SS017-0612-01	6-12	W-SS017	8/1/2023	Lead	137.89	180	mg/kg
GREG-ROW-W-SS017-0612-02	6-12	W-SS017	8/1/2023	Lead		180	mg/kg

mg/kg - milligram per kilogram, commonly referred to as part per million

Locations beginning with W- are located on the west side (south bound lane) of Gregory Avenue.

West Orange, New Jersey  
August 1, 2023 Sampling Results

- Locations beginning with E- are located on the east side (north bound lane) of Gregory Avenue.
- Locations began with SS001 at the intersection of Gregory Avenue and Walker Road.
- Sample GREG-ROW-E-SS049-A-0002 was of excess material on the surface of the sidewalk.
- Any sample number ending in -02 is a duplicate sample for quality purposes, XRF screening were collected prior to the secondary sample.
- Color coding matches color coding on maps. Concentrations above 400 mg/kg are red, between 200-400 mg/kg are yellow, and below 200 mg/kg are green.